

Message

From: Burdett, Cheryl [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=E8F84378969242DBA5EB260C1CC89FB8-CBURDETT]
Sent: 9/12/2018 1:43:26 PM
To: Mikalian, Charles [mikalian.charles@epa.gov]
Subject: RE: EPA October 2017 Well Sampling - Correction

The well that was accidentally left out was not over the MCL, so I never checked to see if it was part of the 104 sampled by the counties.

Cheryl Burdett

From: Mikalian, Charles
Sent: Wednesday, September 12, 2018 8:40 AM
To: Burdett, Cheryl <burdett.cheryl@epa.gov>
Subject: FW: EPA October 2017 Well Sampling - Correction

?

From: Crass, David A (22267) [mailto:DAcrass@michaelbest.com]
Sent: Wednesday, September 12, 2018 8:40 AM
To: Mikalian, Charles <mikalian.charles@epa.gov>
Subject: RE: EPA October 2017 Well Sampling - Correction

Has the additional well, the "13th" been sampled by Juneau and Wood Counties as part of the initial 104, or does this well owner also need to be contacted by the County?

David A. Crass

Partner, Energy & Environmental Practice Group
Industry Group Co-Chair, Agribusiness, Food & Beverage
T 608.283.2267 | michaelbest.com



From: Mikalian, Charles [mailto:mikalian.charles@epa.gov]
Sent: Wednesday, September 12, 2018 9:25 AM
To: Crass, David A (22267)
Subject: EPA October 2017 Well Sampling - Correction

David,

It has been brought to our attention that the sampling results chart I sent you yesterday had only 12, not 13, well sample results. One sample was mistakenly omitted from that chart.

Attached please find a corrected chart with all 13 well sample results.

Chuck

Charles V. Mikalian
Associate Regional Counsel
United States Environmental Protection Agency, Region 5
Office of Regional Counsel (C-14J)
77 West Jackson Blvd.
Chicago, Illinois 60604-3590
Phone: (312) 886-2242
e-mail: mikalian.charles@epa.gov

Email Disclaimer

The information contained in this communication may be confidential, is intended only for the use of the recipient(s) named above, and may be legally privileged. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please return it to the sender immediately and delete the original message and any copy of it from your computer system. If you have any questions concerning this message, please contact the sender.